

Declaration of Performance

Reference No.: KUS_0404

- 1. Unique identification code of the product-type: EMFW 100286 011
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4): 4260021861158
- 3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Rendering mortar CR for internal and external use

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

AQUAPANEL® Exterior Mineral Finish - white

Knauf USG Systems GmbH & Co. KG, Zur Helle 11, D - 58638 Iserlohn Tel.: +49 2374 5036-0, Fax: +49 2374 5036-300, E-Mail: info@aquapanel.com

5. Not relevant

- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 4
- 7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

MPA Dresden (0767) performed the testing of the reaction to fire and issued classification report 2013-B-1003/04. Initial type test and factory production control by manufacturer.

8. Not relevant.

9. Declared performance

Essential characteristics	Performance	Harmonised techn. specification
Reaction to fire	A1	EN 998-1:2010-09
Adhesion	≥ 0,08 N/mm², FP: A, B or C	EN 998-1:2010-09
Water absorption	W2	EN 998-1:2010-09
Water vapour diffusion coefficient	µ ≤ 20	EN 998-1:2010-09
Therma conductivity	\leq 0,82 W/(m·K) for P = 50% \leq 0,89 W/(m·K) for P = 90%	EN 998-1:2010-09
Durability	NPD	EN 998-1:2010-09
Dangerous substances	NPD	EN 998-1:2010-09

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product complies: **Not relevant**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by:

Mululi

Dr. Thomas Koslowski General Manager

Iserlohn, 2013-04-19

