GSH
Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

Polystyrene – Rigid Foam
Thermal Insulation Boards
Neopor EPS 60 THP

with the designation code

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS100 – CS(10)60 – TR150
Reaction to fire: Euroclass E
Declared value of thermal conductivity: 0,032 W/(m·K)
$W_{lp} \leq 0{,}5$ kg/m², $f_{tk} \geq 0{,}02$ N/mm², $G_m \geq 1{,}0$ N/mm²
(This specification covers the requirements for an EPS product applied in an ETICS, according to ETAG 004 and EN 13499)

from the manufacturer

RIZAKOS S. A.
Lamia Industrial Estate
GR-35100 Lamia
GREECE

Based on ITT (Initial Type Test), comply with the requirements of

EN 13163:2012

The manufacturer RIZAKOS S.A. is authorized to bear the CE-mark on the above mentioned products. This attestation is valid until **30.11.2014**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

19.11.2013 / 13 11 040-1-R2.e

Manager of the Certification Body
Klaus Zipp

prolonged until:	prolonged until:

RAL GÜTEZEICHEN

Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu