

GSH
Güteschutzgemeinschaft
Hartschaum e.V.

CERTIFICATE OF CONFORMITY

on the basis of EN 13172, Annex A

We herewith confirm that the building product

Thermal insulating board
made of expanded Polystyrene
NEOPOR EPS 80 THP

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,90)1 – BS125 – CS(10)80 – TR150

Euroclass E, declared thermal conductivity, $\lambda_D = 0,031 \text{ W/(m}\cdot\text{K)}$

$W_p \leq 0,5 \text{ kg/m}^2$, $f_k \geq 0,02 \text{ N/mm}^2$, $G_m \geq 1,0 \text{ N/mm}^2$

(This specification covers the requirements for an EPS product applied in an ETICS,
according to EN 13499 and ETAG 004)

from the manufacturer

G. K. RIZAKOS SA
Lamia Industrial Estate
Lamia 35100, Greece

correspond to the technical specification of

EN 13163:2012

This certificate of conformity is valid until **31.05.2015**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

The holder of this certificate meets the requirements to affix the CE-mark on the specified product(s).

12.05.2014 / 09 11 447-1-R3

Manager of the Certification Body
Klaus Zipp

prolonged until:

prolonged until:



Schildenstraße 24
D-29221 Celle
Notified Body 0919
UZ: UG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu