GSH
Güteschutzgemeinschaft Hartschaum e.V.

CERTIFICATE OF CONFORMITY

on the basic of EN 13172, Annex A

We herewith confirm that the building product

Thermal insulating board
made of expanded Polystyrene
KNAUF 037

KNAUF GYPSOPIIA A.B.E.E.
10 Euripidou Str.
GR 176 74 Kallithea, Athens
Greece

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,-)1 - BS100 – CS(10)60 – TR100
Reaction to fire: Euroclass E, declared thermal conductivity, λ_D = 0,037 W/(m·K)
$W_{lp} \leq 0{,}5$ kg/m², $f_{tk} \geq 0{,}02$ N/mm², $G_m \geq 1{,}0$ N/mm²
(This specification covers the requirements for an EPS product applied in an ETICS, according to ETAG 004 and EN 13499)

from the manufacturer

GSH 11043

correspond to the technical specification of

EN 13163:2012

This certificate of conformity is valid until **31.01.2016.** The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

C. Siegfried

06.02.2015 / 15 11 355-4.e

Manager of the Certification Body
Corth Siegfried

Prolonged until:	Prolonged until:

RAL GÜTEZEICHEN

Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu