GSH
Güteschutzgemeinschaft Hartschaum e.V.

ATTESTATION OF CONFORMITY

We herewith attest that the building products

Polystyrene – Rigid Foam
Thermal Insulation Boards
KNAUF 033

KNAUF GYPSOPIIA A.B.E.E.
10 Euripidou Str.
GR 176 74 Kallithea, Athens
Greece

with the designation codes

EPS – EN 13163 – T(1) – L(2) – W(2) – S(2) – P(5) – DS(N)2 – DS(70,-)1 - BS250 – CS(10)200 – TR150
Reaction to fire: Euroclass E - $W_{lp} \leq 0{,}5$ kg/m² - $f_{tk} \geq 0{,}02$ N/mm², $G_m \geq 1{,}0$ N/mm²
Declared Value of Thermal Conductivity 0,033 W/(m·K)
(This specification covers the requirements for an EPS product applied in an ETICS, according to ETAG 004 and EN 13499)

from the manufacturer

GSH 11043

Based on ITT (Initial Type Test), comply with the requirements of

EN 13163:2012

This attestation is valid until **31.01.2016**. The validity can be prolonged by seal of the GSH and signature of the manager of the certification body.

06.02.2015 / 15 11 023-2.e

Manager of the Certification Body
Corth Siegfried

Prolonged until:	Prolonged until:

RAL GÜTEZEICHEN
GÜTESCHUTZ GSH HARTSCHAUM

Schildenstraße 24
D-29221 Celle
Notified Body 0919
ÜZ: ÜG 049

Tel +49 (0)5141-88 92 65
Fax +49 (0)5141-88 92 67
www.gsh.eu
info@gsh.eu