

Safety data sheet
according to 1907/2006/EC, Article 31



Printing date 28.05.2015

Version: 2 (GB)

Revision: 28.05.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier**Trade name:** Faserfarbe**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the preparation: Coating material**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Knauf Gips KG

Postfach 10

97343 Iphofen

Deutschland

Tel +49 (0)9323/31 - 0

Fax +49 (0)9323/31 - 277

Further information obtainable from:

Technical information service

Tel +49 (0)9001/31-2000 (see point 16)

E-mail Knauf-Direkt@Knauf.de

1.4 Emergency telephone number:

Hotline for symptoms of poisoning and embryonic toxicology, Berlin

Tel +49 (0)30-19240

SECTION 2: Hazards identification
--

2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008**

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void**Signal word** Void**Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Information concerning particular hazards for human and environment:

EUH 208 Contains Methylothiazolinone, Benzisothiazolinone, Chlormethylothiazolinone/Methylothiazolinone and Octylisothiazolinone. May produce an allergic reaction.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.05.2015








Version: 2 (GB)

Revision: 28.05.2015

Trade name: Faserfarbe**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****Chemical characterisation: Mixtures****Description:**

Watery dispersion paint made of mineral filling materials, titanium dioxide, silicon additives, synthetic dispersion, water, preservatives and additives.

Dangerous components:

EC number: 919-029-3	Kohlenwasserstoffe, C16-C20, n-Alkane, Isoalkane,	≤2.5%
Reg.nr.: 01-2119457735-29-XXXX	Cyclene, <2% Aromaten	
	 Xn R65	
	R66	
	 Asp. Tox. 1, H304	
CAS: 886-50-0	terbutryn	<0.01%
EINECS: 212-950-5	 Xn R22;  Xi R43;  N R50/53	
	 Aquatic Acute 1, H400; Aquatic Chronic 1, H410;	
	 Acute Tox. 4, H302; Skin Sens. 1, H317	

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Change any soiled or impregnated clothing.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash off with water and soap and rinse again.

Do not use solvents or thinners.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and throat area with water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**General information:**

Product itself does not burn.

For surrounding fires following points should be observed.

5.1 Extinguishing media**Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version: 2 (GB)

Revision: 28.05.2015

Trade name: Faserfarbe**5.3 Advice for firefighters****Protective equipment:** Wear self-contained respiratory protective device.**Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Watery product is not flammable provided the water content is available.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Do not allow to penetrate the ground/soil.

Inform respective authorities in case of seepage into water course or sewage system.

In case of seepage into the ground inform responsible authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** Apply only with a brush or roller.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.**Further information about storage conditions:**

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

Protect from frost.

7.3 Specific end use(s) No further relevant information available.

*

SECTION 8: Exposure controls/personal protection**Additional information about design of technical facilities:** No further data; see item 7.**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version: 2 (GB)

Revision: 28.05.2015

Trade name: Faserfarbe

Do not eat, drink, smoke or sniff while working.
Be sure to clean skin thoroughly after work and before breaks.

Respiratory protection: Not required.**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves Nitrile rubber, NBR**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Eye glasses with side protection.

Body protection: Protective work clothing**Limitation and supervision of exposure into the environment**

Do not allow to enter waters or ground.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Different according to colouring
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value at 20 °C: ca. 10-11**Change in condition****Melting point/Melting range:** Not applicable.**Boiling point/Boiling range:** 100 °C**Flash point:** Not applicable.**Flammability (solid, gaseous):** Not applicable.**Ignition temperature:** Not applicable.**Decomposition temperature:** Not determined.**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Vapour pressure at 20 °C:** 23 hPa**Density at 20 °C:** 1.45 g/cm³

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version: 2 (GB)

Revision: 28.05.2015

Trade name: Faserfarbe

Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with water:	Fully miscible.
Viscosity:	
Dynamic:	viscous
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****LD/LC50 values relevant for classification:** No data available.**Primary irritant effect:****Skin corrosion/irritation** No irritant effect.**Serious eye damage/irritation** No irritating effect.**Respiratory or skin sensitisation** No sensitising effects known.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** EC50/72h 10-100 mg/l (*Pseudokirchneriella subcapitata*)**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Do not allow product to reach ground water, water course or sewage system.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version: 2 (GB)

Revision: 28.05.2015

Trade name: **Faserfarbe**

SECTION 13: Disposal considerations

13 Waste treatment methods

Recommendation

Disposal must be made according to official regulations.

Dried product residue can be disposed of in the domestic refuse or as construction site waste.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

Void

14.2 UN proper shipping name

ADR

Void

IMDG, IATA

Void

14.3 Transport hazard class(es)

ADR, IMDG, IATA**Class**

Void

14.4 Packing group

ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation":

-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Waterhazard class:

Water hazard class 1 (VwVwS Germany 17.05.1999): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

Professional association rules – BGR 500 chapter 2.29 Processing coating materials.

Information VOC-Guideline:

Guideline 2004/42/EC (Decopaint-Guideline), ChemVOCFarbV:

VOC of EU: < 1,5 %**VOC of EU in g/l:**

EU threshold value for product (cat. A/c): 40 g/l (2010)

This product contains max. 40 g/l VOC

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.05.2015

Version: 2 (GB)

Revision: 28.05.2015

Trade name: Faserfarbe**VOC of Switzerland:** < 1,5 %**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

Department issuing MSDS: Knauf Gips KG, Abteilung Nachhaltigkeit und REACH, 97343 Iphofen**Contact:**

Technical information service (see point 1)

A call to Knauf Direkt will be charged at 0.39 € per minute. Callers, the telephone numbers of whom are not saved in the Knauf Gips KG address database, e.g. private property owners or non-customers, will pay 1.69 € per minute from the German network. Callers using mobile telephones will be charged according to the network provider and tariff.

Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- Asp. Tox. 1: Aspiration hazard, Hazard Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
- Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

*** Data compared to the previous version altered.**